

DDA | DIGESTIVE DISEASE ASSOCIATES

MOVIPREP INSTRUCTIONS

NOTE: Before beginning the following steps, have your prescription for **MOVIPREP** filled at least 1 week prior to your procedure.

THE DAY BEFORE YOUR PROCEDURE:

1. **CLEAR LIQUIDS ONLY.** Mix your laxative drink and refrigerate.
2. **At 5:00 pm** drink your Moviprep solutions, 8 ounces every 15 minutes until you finish the entire container, followed by 16 ounces of Gatorade or Vitamin Water.

THE DAY OF YOUR PROCEDURE:

1. **6 HOURS** before your procedure. Drink the MOVIPREP solution. 8 ounces every 15 minutes until you finish the entire container, followed by 16 ounces of Gatorade or Vitamin Water.
2. You must be done with your prep and nothing else by mouth, not even water (**UNLESS YOU TAKE BLOOD PRESSURE, HEART, ANXIETY OR SEIZURE MEDICINE TO BE TAKEN AT LEAST 2 HOURS PRIOR TO YOUR PROCEDURE WITH A SIP OF WATER**).

Date of Procedure: _____

[] **Digestive Disease Associates Endo Suite, 687 Main Street, Branford, CT**

[] **Saint Raphael's Hospital, 1450 Chapel Street, New Haven, CT**

[] **Bridgeport Hospital, 267 Grant Street, Bridgeport, CT**